

#### TAKING COOPERATION FORWARD



Kick-off Meeting, Warszaw, September 11-12<sup>th</sup>, 2017

WPT2 project "FramWat"

Slovak Watermanagement Enterprise, s.e.,

Monika Supeková, <u>monika.supekova@svp.sk</u> Daniel Kindernay, <u>daniel.kindernay@svp.sk</u>



# WPT2

WP goal:

- to develop static method for assessing cumulative effect of N(S)WRM in RBs based on existing knowledge

- to test dynamic models for assessing cumulative effect of N(S)WRM based on existing models

- and summarizing of all experiences complemented by dialogs findings will lead to compilation of Manual on how to assess effectiveness of system of measures



# WPT2

## Activities during the project:

- 1. Review of existing parameters for evaluation of effectiveness of N(S)WRM (literature, past projects review)
- 2. Development of GIS based method to assess cumulative effect of N(S)WRM at RB scale
- 3. Development of concept plan for N(S)WRM in RB
- 4. Application of dynamic water quantity and/or quality models in RB
- 5. Integrated approach on cumulative effectiveness assessment

Products:

- 1. Report
- 2. a. Static method to assess cumulative effects (quantity, quality); b. Reports from testing the static method in 6 pilot catchments
- 3. a. Concept plans for 6 RBs (best location and type of measures); b. Report
- 4. a. Reports from testing dynamic model in 5 RB; b. Methodology on using the model to assess the effectiveness
- 5. a. Reports from 6 national trainings (preparation of concept plan, testing of models; b. 1 regional workshop; c. Manual on how to assess effectiveness of system of measures



# WPT2

#### Greatest threats:

- lack of data

- incomparable results from testing and dialogs

#### Partners - rules of cooperation:

- WP leader SWME
- Activity leaders 1., 2. SWME; 3. MTDWD; 4. WULS; 5. SWME

Subcontractors will be involved in all 5 activities, mainly in reviewing the indicators, cumulative effects assessments and testing of dynamic models.

### Main tasks by the end of 2017:

- Report on review of existing parameters for evaluation of effectiveness of N(S)WRM finished